

Dingli Scissor Lifts Product Manuals



Electric



Engine



DINGLI®
Exceed · New Height



Self-propelled Scissor Lifts(Electric Mini Type)

Model: **JCPT0708DCS - JCPT0607DCS**

Mini scissor lifts series uses the battery as the power source. The maximum working height covers 5.9-7.6m and the maximum load is 240kg. The whole machine is compact and flexible, small in size, light in weight, and can enter and exit the elevator at will. It is specially designed for building interlayer aerial working.



Touch Display Screen



Great Passability



Slide-out Tray



Folding Guardrails

Model =Electric	JCPT0708DCS
--	--------------------

Size	
Max. Working Height	7.60m
Max. Platform Height	5.60m
Overall Length(With)	1.52m
Overall Length(Without Ladder)	1.37m
Overall Width	0.81m
Overall Height(Rails Up)	2.12m
Overall Height(Rails Down)	1.76m
Platform Size(Length×Width)	1.37m×0.70m
Platform Extension Size	0.60m
Ground Clearance(Stowed/Raised)	0.06m/0.015m
Wheelbase	1.13m
Turning Radius(Inside/Outside)	0.45m/1.60m
Tyres	φ230×100mm

Performance	
S.W.L	230kg
S.W.L On Extension	113kg
Max. Occupants	2
Gradeability	25%
Travel Speed(Stowed)	4.0km/h
Travel Speed(Raised)	0.6km/h
Max. Working Slope	1.5°/3°
Up/Down Speed	26/21sec

Weight	
Overall Weight	1240kg

Power	
Battery	2×12V/115Ah
Charger	24V/15A
Driving Motor	24V/0.5kW
Lifting Motor	24V/2.2kW

Other Configurations		
4×2 Driving	Forklift Pockets	Automatic Pothole Protection Device