

Dingli Scissor Lifts Product Manuals



Electric



Engine




DINGLI[®]
Exceed · New Height



Self-propelled Scissor Lifts(Electric Pint-sized Type)

Model: **JCPT1614AC/HA - JCPT1612AC/HA - JCPT1612AC/HA - JCPT1612ACS/HAS - JCPT1412AC/HA - JCPT1212AC/HA - JCPT1012AC/HA - JCPT1008AC/HA - JCPT0808AC/HA - JCPT0807AC/HA**

Electric Pint-sized scissor lifts series uses the battery as the power source, and has two types of AC motor drive and hydraulic motor drive. The maximum working height covers 7.8-15.7m and the maximum load is 450kg. This type of scissor lifts has the advantages of energy saving, environmental protection, zero emissions, no noise, which is suitable for indoor flat ground and higher environmental requirements of the working environment.



Easy Maintenance



Non Marking Tyre



Folding Guardrails



Extended Platform

Model ■ =Electric	JCPT1412AC
-------------------------------------------------------------	-------------------

Size	
Max. Working Height	13.80m
Max. Platform Height	11.80m
Overall Length	2.48m
Overall Width	1.19m
Overall Height(Rails Up)	2.62m
Overall Height(Rails Down)	2.09m
Platform Size(Length×Width)	2.27m×1.12m
Platform Extension Size	0.90m
Ground Clearance(Stowed/Raised)	0.10m/0.019m
Wheelbase	1.87m
Turning Radius(Inside/Outside)	0m/2.20m
Tyres	φ381×127mm

Performance	
S.W.L	320kg
S.W.L On Extension	113kg
Max. Occupants	2
Gradeability	25%
Max. Working Slope	1.5°/3°
Travel Speed(Stowed)	5km/h
Travel Speed(Raised)	0.8km/h
Up/Down Speed	46/40sec

Weight	
Overall Weight	2990kg
Overall Weight	2900kg

Power	
Battery	4×12V/240Ah
Charger	24V/30A
Driving Motor	2×24VAC/0.87kW
Lifting Motor	24VAC/3.5kW

Other Configurations		
Drivable At Full Height	4×2 Driving	Automatic Pothole Protection Device