


Dingli Vertical Lifts Product Manuals

 Electric



DINGLI[®]
Exceed · New Height



Self-propelled Aerial Stock Picker

PARAMETER

Model	ZDYT 3-3.0S
S.W.L	300kg
Max. Occupants	1
Max. Working Height A	5.00m
Max. Platform Height B	3.00m
Overall Length C	1.56m
Overall Width D	1.06m
Overall Height E	2.07m
Platform Size(Length×Width)	0.71m×0.80m
Ground Clearance	0.08m
Wheelbase	1.27m
Turning Radius	0
Drive Motor	2×24VDC/0.4kW
Lifting Motor	24V/2.2kW
Travel Speed(Stowed)	4.0km/h
Travel Speed(Raised)	0.8km/h
Up/Down Speed	18/17sec
Batteries	2×12V/105Ah
Integrated Charger	24V/30A
Gradeability	25%
Max. Working Slope	1.5°/2°
Tyres(Drive Motors)	Φ230×80mm
Tyres(Front Wheels)	6in
Weight	690kg

Standard Equipment

Proportional Controls
 Self-lock Gate On Platform
 Drivable At Full Height
 Non Marking Tyre
 2WD
 Automatic Brake System
 Emergency Lowering System
 Emergency Stop Button
 Cylinder Holding Valve
 Onboard Diagnostic System
 Tilt Sensor With Alarm
 All Motion Alarm
 Horn
 Hour Meter
 Automatic Pothole Protection
 Charger Protection
 Flashing Beacon
 Overload Sensor With Alarm

Options

Platform Work Light
 Chassis Protect Cover

